

	Type	Hits	Search Text	Time Stamp	Ref #
1	IS&R	433	(717/124).CCLS.	2004/12/09 17:10	S99
2	IS&R	4895	(709/203).CCLS.	2004/12/09 17:08	S98
3	IS&R	921	(715/501.1).CCLS.	2004/12/09 16:59	S94
4	IS&R	1821	(715/513).CCLS.	2004/12/09 16:59	S95
5	IS&R	761	(725/24).CCLS.	2004/12/09 16:59	S96
6	IS&R	2879	(709/217).CCLS.	2004/12/09 16:59	S97
7	IS&R	4557	(707/3).CCLS.	2004/12/09 16:58	S91
8	IS&R	2624	(707/102).CCLS.	2004/12/09 16:58	S92
9	IS&R	3647	(707/104.1).CCLS.	2004/12/09 16:58	S93
10	BRS	22	"HTML template" same test	2004/12/09 14:33	S81
11	BRS	23	"HTML template" same test	2004/12/09 14:33	S90
12	BRS	35	template with applet with servlet	2004/12/08 20:02	S1
13	BRS	38	template with applet with servlet	2004/12/08 20:02	S89
14	BRS	8	("actual data" with "test data") and template	2004/12/08 19:49	S88
15	BRS	6	("actual data" with "test data") and template	2004/12/08 19:48	S72

	DBs	Comments	Error Definit ion	Errors
1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			
11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			
12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			
13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			
14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			
15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: ☒ The ACM Digital Library ☐ The Guide**SEARCH**

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **template processor**

Found 14 of 147,060

Sort results by


[Save results to a Binder](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Display results

[Search Tips](#)☐ Open results in a new window

Results 1 - 14 of 14


Relevance scale ☐ ☐ ☐ ☐ ☐


- 1 [Document analysis: NCL 2.0: integrating new concepts to XML modular languages](#)   
 Heron V. O. Silva, Rogério F. Rodrigues, Luiz Fernando G. Soares, Débora C. Muchaluat Saade  
 October 2004 **Proceedings of the 2004 ACM symposium on Document engineering**

Full text available:  [pdf\(243.02 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


This paper presents the main new features of Nested Context Language (NCL) version 2.0. NCL 2.0 is a modular and declarative hypermedia language, whose modules can be combined to other languages, such as SMIL, to provide new facilities. Among the NCL 2.0 new features, we can highlight the support for handling hypermedia relations as first-class entities, through the definition of hypermedia connectors, and the possibility of specifying any semantics for a hypermedia composition, using the con ...

**Keywords:** NCL, SMIL, XConnector, XTemplate, composition template, framework for parsing and processing XML, hypermedia connector

- 2 [OQL\\_SERF: an ODMG implementation of the template-based schema evolution framework](#)   
 Kajal T. Claypool, Jing Jin, Elke A. Rundensteiner  
 November 1998 **Proceedings of the 1998 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  [pdf\(333.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

With rapid progress in application development and technologies, there is an increasing need to specify and handle complex schema changes of databases. The existing support for schema evolution in current OODB systems is limited to a pre-defined taxonomy of simple schema evolution operations with fixed semantics. We have proposed an extensible framework for schema transformations to address this open problem. The SERF framework succeeds in giving the user the *flexibility* to define the sem ...

- 3 [Toolpack - an experimental software development environment research project](#)   
 Leon J. Osterweil  
 September 1982 **Proceedings of the 6th international conference on Software engineering**

Full text available:  [pdf\(869.04 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a research project aimed at building and studying prototype environments for Mathematical Software. The project is aimed at gaining actual measurements and experiences that should help solidify knowledge about how to build effective environments. Towards this end some speculative ideas about environment file systems and command languages are presented, along with research plans for effectively

evaluating these and other design notions.

4 Data parallelism with high performance C

Vincent Van Dongen, Christophe Bonello, Guang R. Gao

October 1994 **Proceedings of the 1994 conference of the Centre for Advanced Studies on Collaborative research**


Full text available:  [pdf\(180.06 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a preliminary design of the High-Performance C (HPC) language [2]. HPC, a machine-independent language extension to C, allows the user to write programs for distributed-memory systems using global addresses. HPC includes high-level features for specifying processor arrays and both static and dynamic data distributions across processors and for formulating explicitly loops with independent iterations. The language is based on the data parallel paradigm, which exploits the par ...

5 Interactive ELLPACK: an interactive problem-solving environment for elliptic partial differential equations

Wayne R. Dyksen, Calvin J. Ribbens

June 1987 **ACM Transactions on Mathematical Software (TOMS)**, Volume 13 Issue 2

Full text available:  [pdf\(1.38 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


ELLPACK is a versatile, very high-level language for solving elliptic partial differential equations. Solving elliptic problems with ELLPACK typically involves a process in which one repeatedly computes a solution, analyzes the results, and modifies the solution technique. Although this process is best suited for an interactive environment, ELLPACK itself is batch oriented. With this in mind, we have developed Interactive ELLPACK, an extension of ELLPACK that provides true interactive ellip ...

**Keywords:** problem-solving environments

6 SERF: ODMG-based generic re-structuring facility

E. A. Rundensteiner, K. Claypool, M. Li, L. Chen, Z. Zhang, C. Natarajan, J. Jin, S. De Lima, S. Weiner

June 1999 **ACM SIGMOD Record , Proceedings of the 1999 ACM SIGMOD international conference on Management of data**, Volume 28 Issue 2

Full text available:  [pdf\(333.42 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The age of information management and with it the advent of increasingly sophisticated technologies have kindled a need in the database community and others to re-structure existing systems and move forward to make use of these new technologies. Legacy application systems are being transformed to newer state-of-the-art systems, information sources are being mapped from one data model to another, a diversity of data sources are being transformed to load, cleanse and consolid ...

7 Technical and art demonstrations session 2: METIS: a flexible database foundation for unified media management

Ross King, Niko Popitsch, Utz Westermann

October 2004 **Proceedings of the 12th annual ACM international conference on Multimedia**

Full text available:  [pdf\(121.27 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


Current multimedia database systems largely focus on specific media types and/or application domains. This paper gives a sketch of METIS, a database solution for the unified management of any kind of digital media, characterized by profound customizability for domain or application needs. The system core is based on an expressive data model that can be adapted to any scheme for media management, description, and classification desired, and can accommodate arbitrary query operators, similarity ...

**Keywords:** multimedia database systems, unified media management

8 Poster: Overview of natural language processing of captions for retrieving multimedia data

Eugene J. Guglielmo, Neil C. Rowe

March 1992 **Proceedings of the third conference in Applied natural language processing**

Full text available:  [pdf\(221.27 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

 [Publisher Site](#)

This paper briefly describes the current implementation status of an intelligent information retrieval system, MARIE, that employs natural language processing techniques. Descriptive captions are used to identify photographic images concerning various military projects. The captions are parsed to produce a logical form from which nouns and verbs are extracted to form the primary keywords. User queries are also specified in natural language. A two-phase search process employing coarse-grain and f ...

9 An effective graphics user interface for rules and inference mechanisms

J. W. Lewis

December 1983 **Proceedings of the SIGCHI conference on Human Factors in Computing Systems**

Full text available:  [pdf\(424.46 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As the technology of rule-based inference mechanisms matures, knowledge acquisition—the creation, structuring, and verification of rules—becomes increasingly important. The accuracy and completeness of the rules in the knowledge base determine expert system performance, and the cost of acquiring that knowledge base dominates all other hardware and software costs in practical systems. To reduce knowledge acquisition time and error rate, a new interactive graphics inter ...

**Keywords:** Expert systems, User interfaces AND/OR trees

10 Retargetable tools for embedded software: A retargetable micro-architecture simulator

Wai Sum Mong, Jianwen Zhu

June 2003 **Proceedings of the 40th conference on Design automation**

Full text available:  [pdf\(226.81 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The capability of performing architectural exploration has become essential for embedded microprocessor design in System-On-Chip. While many retargetable instruction set (ISA) simulators have been reported, the more relevant micro-architecture simulators, which are capable of modeling the detailed machine features such as cache organization, branch prediction and out-of-order scheduler, have not been equipped with retargetability. In this paper, we propose a new methodology that can generate compl ...

11 Algorithm 803: a simpler macro processor

William A. Ward

June 2000 **ACM Transactions on Mathematical Software (TOMS)**, Volume 26 Issue 2

Full text available:  [pdf\(73.41 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


Macro processors have been in the computing tool chest since the late 1950's. Their use, though perhaps not what it was in the heyday of assembly language programming, is still widespread. In the past, producing a full-featured macro processor has required significant effort, similar to that required to implement the front-end to a compiler augmented by appropriate text substitution capabilities. The tool described here adopts a different approach. The text containing macro definitions and ...

**Keywords:** awk, portable, simple

12 Automatic generation of Ada for MIS applications

Thomas W. Bragg

July 1990 **Proceedings of the seventh Washington Ada symposium on Ada**

Full text available:  pdf(631.93 KB)

Additional Information: [full citation](#), [index terms](#)



13 Constructing application-specific heterogeneous embedded architectures from custom HW/SW applications

Steven Vercauteren, Bill Lin, Hugo De Man

June 1996 **Proceedings of the 33rd annual conference on Design automation**

Full text available:  pdf(97.89 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



14 HW/SW co-design: An SoC architecture and its design methodology using unifunctional heterogeneous processor array

Yoichi Yuyama, Masao Aramoto, Kazutoshi Kobayashi, Hidetoshi Onodera

January 2004 **Proceedings of the 2004 conference on Asia South Pacific design automation: electronic design and solution fair 2004**

Full text available:  pdf(173.05 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)



We propose a heterogeneous processor architecture and its design methodology to shorten the design period of the SoC. It enables fast implementation of a system LSI including an embedded CPU and peripheral functional blocks. Each functional block of the system under design is implemented to a customized processor, instead of a peripheral hardwired logic. We customize processors by deleting unnecessary functionalities, without adding new features. This enables rapid and bug-free design. Although ...

Results 1 - 14 of 14

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

## IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **14** of **1099723** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set

## Results Key:

**JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Test templates: a specification-based testing framework**

*Stocks, P.A.; Carrington, D.A.;*

Software Engineering, 1993. Proceedings., 15th International Conference on , 17-21 May 1993

Pages:405 - 414

[\[Abstract\]](#)   [\[PDF Full-Text \(676 KB\)\]](#)   IEEE CNF

2 **Data coverage testing**

*Netisopakul, P.; White, L.J.; Morris, J.;*

Software Engineering Conference, 2002. Ninth Asia-Pacific , 4-6 Dec. 2002

Pages:465 - 472

[\[Abstract\]](#)   [\[PDF Full-Text \(277 KB\)\]](#)   IEEE CNF

3 **Mass detection using tolerance intervals and a rank detector [mammography application]**

*Khan, F.; Sarma, A.; Ying Sun; Tufts, D.;*

Biomedical Imaging, 2002. Proceedings. 2002 IEEE International Symposium on , 7-10 July 2002

Pages:185 - 188

[\[Abstract\]](#)   [\[PDF Full-Text \(441 KB\)\]](#)   IEEE CNF

4 **A framework for specification-based testing**

*Stocks, P.; Carrington, D.;*

Software Engineering, IEEE Transactions on , Volume: 22 , Issue: 11 , Nov. 1996

Pages:777 - 793

[\[Abstract\]](#)   [\[PDF Full-Text \(1976 KB\)\]](#)   IEEE JNL

5 **Training on severely degraded text-line images**

*Prateek Sarkar; Baird, H.S.; Xiaohu Zhang;*

Document Analysis and Recognition, 2003. Proceedings. Seventh International

Conference on , 3-6 Aug. 2003  
Pages:38 - 43 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(307 KB\)\]](#) IEEE CNF

---

**6 Comparison of parametric representations for multisyllabic word recognition in continuous spoken sentences**

*Davis, S.; Mermelstein, P.;*

Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Signal Processing], IEEE Transactions on , Volume: 28 , Issue: 4 , Aug 1980

Pages:357 - 366

[\[Abstract\]](#) [\[PDF Full-Text \(1152 KB\)\]](#) IEEE JNL

---

**7 Model-based target recognition in pulsed ladar imagery**

*Qinfen Zheng; Der, S.Z.; Mahmoud, H.I.;*

Image Processing, IEEE Transactions on , Volume: 10 , Issue: 4 , April 2001

Pages:565 - 572

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) IEEE JNL

---

**8 Representation and recognition of handwritten digits using deformable templates**

*Jain, A.K.; Zongker, D.;*

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 19 , Issue: 12 , Dec. 1997

Pages:1386 - 1390

[\[Abstract\]](#) [\[PDF Full-Text \(164 KB\)\]](#) IEEE JNL

---

**9 A test class framework for generating test cases from Z specifications**

*Miao Huaikou; Liu Ling;*

Engineering of Complex Computer Systems, 2000. ICECCS 2000. Proceedings. Sixth IEEE International Conference on , 11-14 Sept. 2000

Pages:164 - 171

[\[Abstract\]](#) [\[PDF Full-Text \(592 KB\)\]](#) IEEE CNF

---

**10 Data coverage testing of programs for container classes**

*Netisopakul, P.; White, L.; Morris, J.; Hoffman, D.;*

Software Reliability Engineering, 2002. ISSRE 2002. Proceedings. 13th International Symposium on , 12-15 Nov. 2002

Pages:183 - 194

[\[Abstract\]](#) [\[PDF Full-Text \(462 KB\)\]](#) IEEE CNF

---

**11 A comparison of methods for clustering electrophysiological multineuron recordings**

*Sim, A.W.K.; Jin, C.T.; Chan, L.W.; Leong, P.H.W.;*

Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual International Conference of the IEEE , Volume: 3 , 29 Oct.-1 Nov. 1998

Pages:1381 - 1384 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) IEEE CNF

---

**12 Performance of a neural network based transient classifier at monitoring an acoustic perimeter intruder detection system**



*Parsons, N.H.;*

Security Technology, 1995. Proceedings. Institute of Electrical and Electronics Engineers 29th Annual 1995 International Carnahan Conference on , 18-20 Oct. 1995

Pages:9 - 13

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) IEEE CNF

---

**13 Simulation model of the pendulum reflex test to aid in the design of intelligent functional electrical stimulation controllers**

*D'Alicandro, J.; Hohenberger, M.;*

Bioengineering Conference, 1995., Proceedings of the 1995 IEEE 21st Annual Northeast , 22-23 May 1995

Pages:28 - 30

[\[Abstract\]](#) [\[PDF Full-Text \(236 KB\)\]](#) IEEE CNF

---

**14 Semiautomatic frame-to-frame tracking of the luminal border from intravascular ultrasound**

*Wenguang, L.; Bosch, J.G.; Zhong, Y.; Gussenhoven, W.J.; Rijsterborgh, H.;*

*Reiber, J.H.C.; Bom, N.;*

Computers in Cardiology 1991. Proceedings. , 23-26 Sept. 1991

Pages:353 - 356

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) IEEE CNF

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC](#) | [Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved